


**GATED ENTRANCES**

- GATE ENTRANCE SHALL BE 2 FEET WIDER THAN WIDTH OF TRAFFIC LANE
- ALL GATES SHALL BE LOCATED AT LEAST 30 FEET FROM THE ROADWAY AND SHALL OPEN TO ALLOW A VEHICLE TO STOP WITHOUT OBSTRUCTING TRAFFIC ON THE PUBLIC ROAD
- LANE TURNING RADIUS TO BE NOT LESS THAN 25 FEET
- PROVIDE FIRE DEPARTMENT ACCESS VIA A "KNOX" BOX OR SWITCH, MUST BE OPERABLE AT ALL TIMES



NOTE: GATE SHALL BE NO LESS THAN WIDTH OF THE ACCESS ROAD PLUS A 2 FT SHOULDER ON EACH SIDE.  
ELECTRIC GATES SHALL BE OPERABLE AT ALL TIMES VIA BATTERY OR SOLAR POWER BACKUP.

**GATED ENTRANCES**

**CAL FIRE/SLO COUNTY FIRE DEPARTMENT  
FIRE PREVENTION**  
635 N. Santa Rosa Avenue  
San Luis Obispo, California 93405  
Telephone (805) 543-4244 Fax (805) 543-4248

**FIRE SAFE EXHIBIT**

1/16" = 1'-0"

SCALE

**5**

AUGUST 2011

EXHIBIT NO.